

Back Pain

An information guide



Back Pain

This leaflet contains discharge advice following your attendance to the Accident & Emergency Department (A&E).

Back problems are very common. Most back problems start for no obvious reason, which can be very frustrating. Your back problem may cause aching, hot, burning, shooting or stabbing pains in your back and sometimes into one or both of your legs. You may also get pins and needles.

The spine is strong and back problems are rarely due to any serious disease or damage. Back problems should settle within 6 weeks following the advice provided here.

You will not normally need an x-ray or an MRI scan.

What should I do?

- Keep moving, even if slowly at first.
- Keep living and working normally. This is important and is the best way to get better.
- Don't worry if your back still hurts at work, consider doing light tasks at first, speak to your manager about work concerns that you may have.
- Don't sit down for too long, change positions regularly wherever you are.
- Avoid bed rest during the day.
- Stay active and remember to re-introduce activities like heavy lifting gradually.
- Exercise really helps your back and can relieve pain, start with light fitness training. Moving will make you stronger, keeping active is the best thing you can do.

What about pain relief?

Initially it may be helpful to use a covered icepack to ease your pain – never apply ice directly onto your skin.

Alternatively heat can be soothing, so a covered hot water bottle may also be used. You should not use heat/ice for more than 15 minutes, three to four times a day.

Painkillers may help you keep moving, so sensible use of painkillers such as paracetamol, and ibuprofen will help.

However, if you are already taking medication for something else or have other health problems, check with your local pharmacist before taking painkillers. Always take medication according to the manufacturers instructions.

Occasionally, stronger pain-killers such as codeine may be recommended. If you are taking these, you should drink plenty of fluids and eat foods high in fibre (such as fruit and vegetables) to avoid constipation.

Diazepam or similar drugs are occasionally prescribed for 1 – 2 days to relax the muscles of the lower back.

Can my back problem cause trouble anywhere else?

Sometimes when you get back pain you can also get pain in one or both legs (sciatica). This can cause pins and needles or a shooting, stabbing pain to the legs. This can be very painful but this is common when you have back pain.

Do I need to see a doctor or therapist?

Not usually – if you follow the right advice and take the right medication, your back problem should improve over the next 6 weeks.

If your back symptoms are still interfering with your ability to do normal things after 6 weeks, contact your GP for further advice.

What should I look out for?

You should return to the A&E Department as soon as possible if you develop any of these:

- Difficulty passing or controlling urine.
- Numbness and/or altered sensation such as pins and needles around your back passage or genitals, e.g. when wiping after toileting.

If you experience the following in conjunction with your back pain, you need to speak to your GP as soon as possible:

- Generally feeling unwell.
- Back pain that starts when you have other problems, such as rheumatoid arthritis or cancer.
- Numbness, pins and needles, or weakness in one or both legs that has not improved after one week.
- Unsteadiness when you walk.

If English is not your first language and you need help, please contact the Interpretation and Translation Service

Jeśli angielski nie jest twoim pierwszym językiem i potrzebujesz pomocy, skontaktuj się z działem tłumaczeń ustnych i pisemnych

اگر انگریزی آپ کی پہلی زبان نہیں ہے اور آپ کو مدد کی ضرورت ہے تو ، براہ کرم ترجمانی اور ترجمہ خدمت سے رابطہ کریں

Dacă engleza nu este prima ta limbă și ai nevoie de ajutor, te rugăm să contactezi Serviciul de interpretare și traducere

ইংরাজী যদি আপনার প্রথম ভাষা না হয় এবং আপনার সাহায্যের প্রয়োজন হয় তবে অনুগ্রহ করে দোভাষী এবং অনুবাদ পরিষেবাটিতে যোগাযোগ করুন

إذا لم تكن الإنجليزية هي لغتك الأولى وتحتاج إلى مساعدة ، فيرجى الاتصال بخدمة الترجمة الشفوية والتحريرية

☎ : 0161 627 8770

@ : interpretation@pat.nhs.uk

To improve our care environment for Patients, Visitors and Staff, **Northern Care Alliance NHS Group** is Smoke Free including buildings, grounds & car parks.

For advice on stopping smoking contact the Specialist Stop Smoking Service on 01706 517 522

For general enquiries please contact the Patient Advice and Liaison Service (PALS) on 0161 604 5897

For enquiries regarding clinic appointments, clinical care and treatment please contact 0161 624 0420 and the Switchboard Operator will put you through to the correct department / service

The Northern Care Alliance NHS Group (NCA) is one of the largest NHS organisations in the country, employing 17,000 staff and providing a range of hospital and community healthcare services to around 1 million people across Salford, Oldham, Bury, Rochdale and surrounding areas. Our Care Organisations are responsible for providing our services, delivering safe, high quality and reliable care to the local communities they serve.

The NCA brings together Salford Royal NHS Foundation Trust and the hospitals and community services of The Royal Oldham Hospital, Fairfield General Hospital in Bury, and Rochdale Infirmary (currently part of The Pennine Acute Hospitals NHS Trust).

 www.facebook.com/NorthernCareAllianceNHSGroup

 www.linkedin.com/company/northern-care-alliance-nhs-group

 Northern Care Alliance NHS Group (NCA) @NCAlliance_NHS

Date of publication: September 2020

Date of review: September 2020

Date of next review: September 2022

Ref: PI(M)698

© The Northern Care Alliance NHS Group

www.pat.nhs.uk

www.northerncarealliance.nhs.uk

